

- Internally Shuttered Simplex LC Adapter
- 45-degree fibre outlet
- Blank plate can be replaced by second CL50 module
- Spool plate inside to hold up to 15 metres of fibre
- CLICK50 module compatible



Overview

The CL50-FTB is designed for in-home use with the ability to spool up to 15M of fibre and hold two 45-degree Click 50 fibre outlets. The CL50-FTB consists of a spool plate, cover box, 45-degree Click 50 fibre outlet with simplex internally shuttered LC adaptor and a Click 50 blanking plate. For installation over a double gang wall box, the spool plate is flush mounted directly onto the wall box with the spool contained within. When the fibre protrudes from a single gang wall box or directly through the wall, the spool plate is inverted and screwed onto the wall with the spool on the outside. The cover box is then fitted over the spool plate and the CL50 module and blank plate go into the cover box.

Mechanical specifications

Parameter		Details
Connectors	Type	Adapter Simplex LC
Connector Construction	Closing mechanism	Internally Shuttered
Material	Type and colour	ABS - RAL-9003
Dimensions	Full unit	146.4 x 86.3 x 26.1 mm

Ordering information

Item number	Item code	Description
19014659	CL50-FTB	CL50 ASSEMBLY IN-WALL FIBRE TERMINATION BOX
19014660	CL50-FTB-CB	REVERSIBLE COVER BOX ON-WALL INSTAL FOR CL50-FTB
19014703	CL50-VM45ISLC	CL50 FIBRE MODULE 45° INTERNALLY SHUTTERED SIMPLEX LC/LC SW

Wall outlets

Click 50 Fibre Termination Box Simplex LC

technetix

Dimensions Fibre Spool

